

McGILL UNIVERSITY

FACULTY OF SCIENCE

FINAL EXAMINATION

MATH 323

Probability Theory

Examiner: Professor W.J. Anderson
Associate Examiner: Professor M. Asgharian

Date: Wednesday, April 18, 2007
Time: 2 to 5pm

INSTRUCTIONS

This exam comprises the cover and four pages with 7 questions. Answer all questions. No aids other than pocket calculators are allowed. Tables of the normal distribution are given at the end of this exam paper.

[Marks]

- [15] (1) (a) By using only the postulates and definitions, prove that $P(A^c|B) = 1 - P(A|B)$, where A^c denotes the complement of A , $P(B) \neq 0$, and A and B are events in the same sample space.
- (b) Three companies have submitted tenders to install a new roof on the Olympic Stadium. From past experience, it is known that 30% of all large roofing installations done by Company A leak after one year. The comparable figures for Companies B and C are 5% and 10%, respectively. Assume the bidding process is such that the probability that Company A is awarded the contract is .5, and the corresponding probabilities for B and C are .3 and .2 respectively.
- If the roof is leaking after one year, what is the probability that it was installed by Company A?
- [15] (2) (a) Urn I contains 4 red chips and 3 white chips. Urn II has 3 red chips and 2 white chips. Two chips are chosen at random and without replacement from each of the urns.
- What is the probability that the four chips will all be red?
 - What is the probability of getting 3 red chips and 1 white chip among the four?
- (b) The amount of coffee a machine dispenses is an exponentially distributed random variable with mean 100cc. Suppose a cup will overflow if more than 120cc are dispensed. What is the probability that at least two out of five fillings will result in overflow?
- [15] (3) (a) Suppose that X is a random variable having the Poisson distribution with mean $\mu > 0$, and such that $P\{X = 3\} = P\{X = 4\}$. Find (i) μ , and (ii) $P\{X \geq 2\}$.
- (b) For what value of k is the following a density function?

$$f(x) = \begin{cases} x, & \text{if } 0 < x < 1; \\ k, & \text{if } 1 \leq x < 2; \\ \frac{3-x}{2}, & \text{if } 2 \leq x < 3; \\ 0, & \text{elsewhere.} \end{cases}$$

Suppose X is a random variable with f as its density function. Find $P\{.5 < X \leq 2.5\}$.

- [13] (4) (a) If X has density function given by

$$f(x) = \begin{cases} e^{-x} & \text{if } x > 0 \\ 0 & \text{otherwise,} \end{cases}$$

find the density function of $Y = \sqrt{X}$.

- (b) An unbalanced die, with probabilities $P(1) = P(2) = 1/12$, $P(3) = P(4) = P(5) = 1/6$, and $P(6) = 1/3$, is tossed twice. Let X be the maximum of the two numbers which occur. Find $E(X)$ and $\text{Var}(X)$.
- [12] (5) Let X_1 and X_2 be independent random variables with distributions $N(2, 3)$ and $N(3, 2)$ respectively. Let

$$\begin{aligned} Y &= 2X_1 + X_2 \\ Z &= X_1 - 3X_2. \end{aligned}$$

Find (i) the distribution of Z (ii) the correlation coefficient between Y and Z .

- [15] (6) Random variables X and Y are jointly continuous with joint density function

$$f(x, y) = \begin{cases} x + y, & \text{if } 0 < x < 1, 0 < y < 1; \\ 0, & \text{otherwise.} \end{cases}$$

Find (a) $E(Y)$ (b) $E(X|Y = .5)$ (c) $E(XY)$ (d) $P(X^2 > Y)$.

- [15] (7) The number of goals a star soccer player can score in one game is a random variable X with probability function given by

x	0	1	2	3
$P\{X = x\}$	1/8	3/8	1/8	3/8

- (a) What are the mean and variance of X ?
- (b) Suppose there are 36 games in the season and that the numbers X_1, X_2, \dots, X_{36} of goals scored in these games by the star player are independent and have the probability function given above. Let Y be the total number of goals scored by this player in the season. Find (approximately) $P\{Y \geq 60\}$.

Upper tail probabilities of the standard Normal distribution
 $P(Z \geq z)$, $Z \sim N(0, 1)$

Probabilities of the standard Normal distribution

$$P(0 \leq Z \leq z), \quad Z \sim N(0, 1)$$